


SUBWAY LAB

by WOW

**“light in motion”**

“light in motion”






Simplicity is the ultimate form  
of sophistication.

La simplicidad es la forma máxima  
de sofisticación.

**Leonardo da Vinci**





---

Perfection is not a small thing,  
but is made of small things.

La perfección no es cosa pequeña,  
pero está hecha de pequeñas cosas.


**Miguel Angel**



# Subway Lab

by WOW

1 2 3



“light in motion”



SUBWAY LAB

by WOW

1 Line One

Colours Line One



C1. Ice White Matt  
C2. Ice White Gloss (\*)  
C3. Natural Matt  
C4. Ash Grey Matt  
C5. Earth Matt  
C6. Graphite Matt

(\*) Not available, Arch, Delta y Wave

L1

- Arch
- Candy
- Delta
- Edge L
- Moon
- Nilo
- Wave
- Liso
- Canale

1 Line One

Station Line One



Arch  
5"x5" / 12,5x12,5 cm



Moon  
5"x5" / 12,5x12,5 cm



Delta  
5"x5" / 12,5x12,5 cm



Wave  
5"x5" / 12,5x12,5 cm



Nilo  
5"x5" / 12,5x12,5 cm



Candy  
5"x5" / 12,5x12,5 cm



Liso L  
5"x10" / 12,5x25 cm



Canale L Station  
5"x10" / 12,5x25 cm



Edge L  
0,3"x10" / 0,8x25 cm




Edge  
0,3"x5" / 0,8x12,5 cm



Edge Corner  
0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm



Liso  
5"x5" / 12,5x12,5 cm



Canale  
5"x5" / 12,5x12,5 cm



Subway Lab  
by WOW

**A L** Arch + Liso

Inspiration Line One

Colours

C6

C1

C6. Graphite Matt  
C1. Ice White Matt



Colours

C6

C1

C6. Graphite Matt  
C1. Ice White Matt

Subway Lab  
by WOW

**C C Candy + Canale**

Inspiration Line One



Colours

C6

C1

C6. Graphite Matt  
C1. Ice White Matt

Subway Lab  
by WOW

**D L** Delta + Liso

Inspiration Line One

**Subway Lab**  
by WOW

**M L** Moon + Liso

---

Inspiration Line One



## Colours

C2

C2. Ice White Gloss

## Colours

C6

C1

C6. Graphite Matt  
C1. Ice White Matt

Subway Lab  
by WOW

**N C** Nilo + Canale

---

Inspiration Line One

Colours

C6

C1

C6. Graphite Matt  
C1. Ice White Matt

Subway Lab  
by WOW



Wave + Canale

---

Inspiration Line One

2 Line Two

Colours Line Two

- C1 C2 C3 C4 C5 C6
- C7 C8

- C1. Ice White Matt
- C2. Ice White Gloss
- C3. Natural Matt
- C4. Cotton Gloss
- C5. Pearl Gloss
- C6. Ash Grey Gloss
- C7. Earth Gloss
- C8. Graphite Matt



2 Line Two

Station Line Two



Liso M  
3"x6" / 7,5x15 cm



Canale M  
3"x6" / 7,5x15 cm



Peak  
3"x6" / 7,5x15 cm



Delta M  
3"x6" / 7,5x15 cm



Edge M  
0,3"x6" / 0,8x15 cm



Edge Corner  
0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm



**Subway Lab**  
by WOW

**C Canale M**

---

**Inspiration Line Two**

**Colours**

C1

C1. Ice White Matt



Colours

C2

C2. Ice White Gloss

Subway Lab  
by WOW

**D** Delta M

Inspiration Line Two

Subway Lab  
by WOW

# P L E Peak + Liso + Edge M

Inspiration Line Two

## Colours

C4

C1

C4. Cotton Gloss  
C1. Ice White Matt

Subway Lab  
by WOW

# L Liso M

Inspiration Line Two

## Colours


C1

C1. Ice White Matt



3 Line Three

Colours Line Three





- C1. Ice White Matt
- C2. Ice White Gloss
- C3. Natural Matt
- C4. Cotton Gloss
- C5. Pearl Gloss
- C6. Ash Grey Gloss
- C7. Earth Gloss
- C8. Graphite Matt
- C9. Graphite Gloss



3 Line Three

Station Line Three



Edge Corner  
0,3"x0,3"x0,3" /  
0,8x0,8x0,8 cm



**Subway Lab**  
by WOW

**L E** Liso XL + Edge XL

Inspiration Line Three

Colours

C9

C9. Graphite Gloss





Subway Lab  
by WOW

## A Arch XL + Edge XL

Inspiration Line Three



### Colours

C2

C2. Ice White Gloss



Subway Lab  
by WOW

## D Dome

Inspiration Line Three

### Colours

C2

C2. Ice White Gloss

## Colours

C2

C2. Ice White Gloss

**Subway Lab**  
by WOW

**B E** New Bevel + Edge XL

---

**Inspiration Line Three**

Colours

C1

C6

C1. Ice White Matt  
C6. Ash Grey Gloss



Subway Lab  
by WOW



Delta XL + Liso XL

Inspiration Line One



# Ideas de Colocación

**Subway Lab**  
by WOW

1

2

3

Colours

C9

C9. Graphite Gloss



Subway Lab  
by WOW

**A L E** Arch XL + Liso XL + Edge XL

Inspiration Line One

Colours

- C1
- C6

C1. Ice White Matt  
C6. Ash Grey Gloss



Subway Lab  
by WOW

**D L** Delta M + Liso M

Inspiration Line One

Colours

C9

C2

C9. Graphite Gloss  
C2. Ice White Gloss

Subway Lab  
by WOW

**D L** Dome + Liso XL

---

Inspiration Line One + Line three



## Colours

C2

C8

C2. Ice White Gloss  
C8. Graphite Matt



Subway Lab  
by WOW

**B L** New Bevel + Liso XL

Inspiration Line One + Line three

Colours

C2

C1

C2. Ice White Gloss  
C1. Ice White Matt

Subway Lab  
by WOW

**D G** Delta + Gloss

Inspiration Line One




1 Line One

Technical Line One


L

Liso L  
Liso




C

Canale L  
Canale




E

Edge L - Edge  
Edge Corner




A

Arch




M

Moon




D

Delta




W

Wave




N

Nilo



C


Candy




Technical Line Two




Liso M




Canale M



Peak




Delta M



Edge M



Edge Corner






3 Line Three

Technical Line Three


L

Liso XL




C

Dome




B

New Bevel




D

Delta XL




A

Arch XL



E

Edge XL  
& Corner





T

## Technical Features/ Información Técnica

Line 01 02 03

Technical feautures for Dry-Pressed ceramic tiles with water absorbation BIII (E<sub>b</sub>>10%)  
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII(E<sub>b</sub> >10%)

| FEATURES/ CARACTERÍSTICAS                                                          |                                           | SPECIFICATION/ ESPECIFICACIÓN                                         | NORMA                    |
|------------------------------------------------------------------------------------|-------------------------------------------|-----------------------------------------------------------------------|--------------------------|
|   | Dimensional Features.                     | Wave (W 124,3 +/- 0,6 mm x 124,3 +/- 0,6 mm x h. 22,5 mm) GL          | UNE-EN ISO 10545-2:1998  |
|  | Water absorption.                         | E <sub>b</sub> > 10%                                                  | UNE-EN ISO 10545-3:1997  |
|  | Modulus of rupture and breaking strength. | Thickness ≥ 7,5 mm Mínimo 600 N<br>Thickness ≥ 7,5 mm Mínimo 12 N/mm2 | UNE-EN ISO 10545-4:2012  |
|  | Crazing resistance.                       | Pass                                                                  | UNE-EN ISO 10545-11:1997 |
|  | Household products resistance.            | GA                                                                    | UNE-EN ISO 10545-13:1998 |
|  | Chemical resistance.                      | GLA                                                                   | UNE-EN ISO 10545-13:1998 |
|  | Stain resistance.                         | Class 5                                                               | UNE-EN ISO 10545-14:1998 |

R

## Recommendations

Line 01 02 03

### BEFORE INSTALLING THE PRODUCT

The surface where the product is being installed must be clean and level.

It is recommended that the layout of the product is prepared before the final installation.

Make sure you choose an adhesive apt for the area where the product is being installed.

For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

Also recommended as grouting mortar: Kerakoll Fugabella® Eco Porcelana 0-5 and for the areas susceptible to stains such as the backsplash: Kerakoll Fugalite® Eco.

### TO ENHANCE YOUR WOW PRODUCT

In order to obtain the maximum WOW effect, use 1 mm (0 3/64 in) spacers between the tiles to maintain an even installation over the whole surface.

The colour of the grout should be as close as possible to the colour of your product.

Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

To enhance the light and shadow effect of WOW, adequate vertical lighting over the product should be installed (ideally, above the highest point of the installation)

### MAINTENANCE

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product.

Avoid abrasive or acidic cleaning products.

R

## Recomendaciones

Line 01 02 03

### ANTES DE LA COLOCACIÓN

Preparar la superficie sobre la que se va a colocar tu producto WOW. Debe estar limpia y aplomada.

Se recomienda plantear la colocación, previo a su instalación.

Elegir el material de agarre en función de las características de la superficie.

Se recomienda para colocación general en superficies porosas: Kerakoll special® Eco. y para superficies no porosas como el pladur: kerakoll serie H40® Eco.

Se recomienda el tipo de mortero de rejuntado en función de la zona de colocación. Colocación general: Kerakoll fugabella® Eco porcelana 0-5 y para las zonas más susceptibles a manchas como pueda ser la cocina: Kerakoll Fugalite® Eco.

### PARA ENSALZAR EL ASPECTO DE TU PRODUCTO WOW

Se recomiendan separadores de 1mm. para colocar las piezas y conseguir de esta forma un aspecto WOW optimo.

También se aconseja el color de rejuntado similar al color del producto elegido.

Una vez rejuntado el producto, y antes de que se endurezca, retirar el material sobrante de rejuntado con una esponja mojada en agua.

Para potenciar el pronunciado efecto de luz y sombra sobre cada pieza, es de vital importancia colocar luz cenital, situada verticalmente sobre el producto.

### MANTENIMIENTO

Práctico y sencillo de limpiar, dadas las excelentes características técnicas del producto WOW, tan sólo es necesario un cuidado rutinario, evitando la utilización de productos abrasivos o ácidos.

ENCAJADO

|             |  |  |  |  |  |
|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Modelo      | Tamaño (cm)                                                                       | Piezas/caja                                                                       | kg/caja                                                                            | m²/caja                                                                             | cajas/palet                                                                         |
| Nilo        | 12,5x12,5                                                                         | 10                                                                                | 3,22 kg                                                                            | 0,15 m²                                                                             | 85                                                                                  |
| Delta       | 12,5x12,5                                                                         | 10                                                                                | 3,18 kg                                                                            | 0,15 m²                                                                             | 85                                                                                  |
| Moon        | 12,5x12,5                                                                         | 10                                                                                | 3,11 kg                                                                            | 0,15 m²                                                                             | 85                                                                                  |
| Wave        | 12,5x12,5                                                                         | 10                                                                                | 3,03 kg                                                                            | 0,15 m²                                                                             | 85                                                                                  |
| Arch        | 12,5x12,5                                                                         | 10                                                                                | 3,71 kg                                                                            | 0,15 m²                                                                             | 85                                                                                  |
| Candy       | 12,5x12,5                                                                         | 10                                                                                | 3,29 kg                                                                            | 0,15 m²                                                                             | 85                                                                                  |
| Liso        | 12,5x12,5                                                                         | 25                                                                                | 5,98 kg                                                                            | 0,38 m²                                                                             | 85                                                                                  |
| Canale      | 12,5x12,5                                                                         | 25                                                                                | 6,10 kg                                                                            | 0,38 m²                                                                             | 85                                                                                  |
| Liso M      | 7,5x15                                                                            | 46                                                                                | 7,24 kg                                                                            | 0,52 m²                                                                             | 132                                                                                 |
| Canale M    | 7,5x15                                                                            | 42                                                                                | 7,57 kg                                                                            | 0,47 m²                                                                             | 132                                                                                 |
| Peak        | 7,5x15                                                                            | 32                                                                                | 5,72 kg                                                                            | 0,36 m²                                                                             | 132                                                                                 |
| Delta M     | 7,5x15                                                                            | 32                                                                                | 6,47 kg                                                                            | 0,36 m²                                                                             | 132                                                                                 |
| Liso L      | 12,5x25                                                                           | 38                                                                                | 17,87 kg                                                                           | 1,18 m²                                                                             | 48                                                                                  |
| Canale L    | 12,5x25                                                                           | 36                                                                                | 17,63 kg                                                                           | 1,11 m²                                                                             | 48                                                                                  |
| Liso XL     | 7,5x30                                                                            | 23                                                                                | 7,32 kg                                                                            | 0,52 m²                                                                             | 132                                                                                 |
| Dome        | 7,5x30                                                                            | 14                                                                                | 5,26 kg                                                                            | 0,32 m²                                                                             | 132                                                                                 |
| Arch XL     | 7,5X30                                                                            | 12                                                                                | 5,42 kg                                                                            | 0,27 m²                                                                             | 132                                                                                 |
| Delta XL    | 7,5x30                                                                            | 16                                                                                | 6,22 kg                                                                            | 0,36 m²                                                                             | 132                                                                                 |
| New Bevel   | 7,5x30                                                                            | 16                                                                                | 5,77 kg                                                                            | 0,36 m²                                                                             | 132                                                                                 |
| Edge        | 0,8x12,5                                                                          | 10                                                                                | 0,13 kg                                                                            | 1,24 m                                                                              | -                                                                                   |
| Edge M      | 0,8x15                                                                            | 10                                                                                | 0,16 kg                                                                            | 1,50 m                                                                              | -                                                                                   |
| Edge L      | 0,8x25                                                                            | 10                                                                                | 0,27 kg                                                                            | 2,49 m                                                                              | -                                                                                   |
| Edge XL     | 0,8x30                                                                            | 10                                                                                | 0,31 kg                                                                            | 3,00 m                                                                              | -                                                                                   |
| Edge Corner | 0,8x0,8x0,8                                                                       | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |

PACKING

|             |  |  |  |  |  |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Model       | Size (in)                                                                           | Pieces/box                                                                          | lb-oz/box                                                                           | sq ft/box                                                                           | box/pallet                                                                          |
| Nilo        | 5"x5"                                                                               | 10                                                                                  | 7 lb 1,58 oz                                                                        | 1,61 sq ft                                                                          | 85                                                                                  |
| Delta       | 5"x5"                                                                               | 10                                                                                  | 7 lb 0,17 oz                                                                        | 1,61 sq ft                                                                          | 85                                                                                  |
| Moon        | 5"x5"                                                                               | 10                                                                                  | 6 lb 3,70 oz                                                                        | 1,61 sq ft                                                                          | 85                                                                                  |
| Wave        | 5"x5"                                                                               | 10                                                                                  | 6 lb 10,88 oz                                                                       | 1,61 sq ft                                                                          | 85                                                                                  |
| Arch        | 5"x5"                                                                               | 10                                                                                  | 8 lb 2,87 oz                                                                        | 1,61 sq ft                                                                          | 85                                                                                  |
| Candy       | 5"x5"                                                                               | 10                                                                                  | 7 lb 4,05 oz                                                                        | 1,61 sq ft                                                                          | 85                                                                                  |
| Liso        | 5"x5"                                                                               | 25                                                                                  | 13 lb 2,94 oz                                                                       | 4,10 sq ft                                                                          | 85                                                                                  |
| Canale      | 5"x5"                                                                               | 25                                                                                  | 13 lb 7,18 oz                                                                       | 4,10 sq ft                                                                          | 85                                                                                  |
| Liso M      | 3"x6"                                                                               | 46                                                                                  | 15 lb 15,39 oz                                                                      | 5,60 sq ft                                                                          | 132                                                                                 |
| Canale M    | 3"x6"                                                                               | 42                                                                                  | 16 lb 11,02 oz                                                                      | 5,06 sq ft                                                                          | 132                                                                                 |
| Peak        | 3"x6"                                                                               | 32                                                                                  | 12 lb 9,77 oz                                                                       | 3,88 sq ft                                                                          | 132                                                                                 |
| Delta M     | 3"x6"                                                                               | 32                                                                                  | 14 lb 4,22 oz                                                                       | 3,88 sq ft                                                                          | 132                                                                                 |
| Liso L      | 5"x10"                                                                              | 38                                                                                  | 39 lb 6,35 oz                                                                       | 12,60 sq ft                                                                         | 48                                                                                  |
| Canale L    | 5"x10"                                                                              | 36                                                                                  | 38 lb 13,88 oz                                                                      | 11,94 sq ft                                                                         | 48                                                                                  |
| Liso XL     | 3"x12"                                                                              | 23                                                                                  | 16 lb 2,21 oz                                                                       | 5,60 sq ft                                                                          | 132                                                                                 |
| Dome        | 3"x12"                                                                              | 14                                                                                  | 11 lb 9,54 oz                                                                       | 3,44 sq ft                                                                          | 132                                                                                 |
| Arch XL     | 3"x12"                                                                              | 12                                                                                  | 11 lb 15,19 oz                                                                      | 2,91 sq ft                                                                          | 132                                                                                 |
| Delta XL    | 3"x12"                                                                              | 16                                                                                  | 13 lb 11,40 oz                                                                      | 3,88 sq ft                                                                          | 132                                                                                 |
| New Bevel   | 3"x12"                                                                              | 16                                                                                  | 12 lb 11,53 oz                                                                      | 3,88 sq ft                                                                          | 132                                                                                 |
| Edge        | 0,3"x5"                                                                             | 10                                                                                  | 0,30 lb                                                                             | 4,07 ft                                                                             | -                                                                                   |
| Edge M      | 0,3"x6"                                                                             | 10                                                                                  | 0,35 lb                                                                             | 4,92 ft                                                                             | -                                                                                   |
| Edge L      | 0,3"x10"                                                                            | 10                                                                                  | 0,60 lb                                                                             | 8,17 ft                                                                             | -                                                                                   |
| Edge XL     | 0,3"x12"                                                                            | 10                                                                                  | 0,68 lb                                                                             | 9,84 ft                                                                             | -                                                                                   |
| Edge corner | 0,3"x0,3"x0,3"                                                                      | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |



©2014 Tendencias Cerámicas  
WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.


©2014 Tendencias Cerámicas  
WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.  
The colour of the pieces displayed herein may differ slightly from originals.  
The settings shown in this catalogue are design proposals for advertising purposes.  
In real situations in wich the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.  
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.  
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario, debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.





Polígono Pont, Avda. de España 114  
12180 Cabanes,  
Castellón (Spain)  
t. +34 964 331 910 / f. +34 964 331 911

wowdesigneu.com

info@wowdesigneu.com  
comercial@wowdesigneu.com  
design@wowdesigneu.com  
atelier@wowdesigneu.com

**“light in motion”**

WOW